

Certificates for Charles "Chuck" Chapin

Basic Information

First Name	Charles "Chuck"
Last Name	Chapin
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 541 Flow Cone	2017-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-11-03	Expired	Robby Rodriguez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy