

Certificates for Hector Guerrero

Basic Information

First Name	Hector
Last Name	Guerrero
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Hill International (formerly TCM)	Hector Davila	3130-B Inland Empire Boulevard, Ontario, CA 91764	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-02-24	Expired	Majid Fahrtoosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-02-24	Expired	Majid Fahrtosh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy