

## Certificates for Javier Guzman

### Basic Information

<b>First Name</b>	Javier
<b>Last Name</b>	Guzman
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Hill International (formerly TCM)	Hector Davila	3130-B Inland Empire Blvd, Ontario, CA 91764	8	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-09-18	Expired	Vincent Onoh	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy