

Certificates for Michael Reyes

Basic Information

First Name	Michael
Last Name	Reyes
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Pro-Cast Products, Inc.	Mike Reyes	27417 East Third Street, Highland, CA 92346	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-03-14	Active	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-03-14	Active	Jackie Treat	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2026-04-10	Active	Roy(Chip) Denner	Lab 1	Created based on CT521 certificate ID28991
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2026-04-10	Active	Roy(Chip) Denner	Lab 1	Created based on CT521 certificate ID28991
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-03-14	Active	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-03-14	Active	Jackie Treat	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-03-14	Active	Jackie Treat	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-03-14	Active	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-03-14	Active	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy