

Certificates for Jeff Herbert

Basic Information

First Name	Jeff
Last Name	Herbert
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D03 - North Region Materials Laboratory	Addisu Workineh	5330 Arboga Road, Olivehurst, CA 95961	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 366 Stabilometer	2023-02-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 367 OBC	2023-02-23	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 368 OBC of OGAC	2025-02-02	Active	Alexis England	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2019-01-09	Expired	Jackie Treat	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
CT 389 Hamburg Wheel-Track	2026-02-27	Active	Joshua Gallaway	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-02-23	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-01-09	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2025-02-02	Active	Alexis England	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2025-02-02	Active	Alexis England	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-02-23	Expired	Jackie Treat	Lab 1	(No comments)

Unofficial Copy