

## Certificates for Tom Stinnett

### Basic Information

<b>First Name</b>	Tom
<b>Last Name</b>	Stinnett
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans Dist. 3/North Region Materials Lab	Addisu Workineh	5330 Arboga Rd., Olivehurst, CA 95961	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jackie Treat	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 211 LA Rattler	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2018-06-18	Expired	Jackie Treat	(No lab)	(No comments)
CT 214 Sodium Sulfate Soundness	2018-06-18	Expired	Jackie Treat	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-06-14	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2018-06-18	Expired	Jackie Treat	Lab 1	(No comments)

Unofficial Copy