

## Certificates for Terrence White

### Basic Information

<b>First Name</b>	Terrence
<b>Last Name</b>	White
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	Please check my last modification dates on 6/29/17 should have been two years. This tester has 25 years with state.
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2019-06-29	Expired	Jackie Treat	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	Should have been two year when modified on 6/29/17
CT 217 Sand Equivalent (JTCP - S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	Should have been two years on modified date 6/29/17
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	should have been two year from date of 6/29/17

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 227 Cleanness Value (JTCP - S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	should have been two years on modified date of 6/29/17
CT 229 Durability (JTCP - S&A)	2025-10-28	Active	Dalton LaBoskey	(No lab)	should have been two years on date modified 6/29/17
CT 231 Relative Compaction - Nuclear Gage	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2021-04-18	Expired	Jackie Treat	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2021-04-18	Expired	Jackie Treat	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-04-18	Expired	Jackie Treat	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2021-04-18	Expired	Jackie Treat	(No lab)	(No comments)
CT 366 Stabilometer	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 382 AC Content by Ignition Oven	2021-04-18	Expired	Jackie Treat	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-06-29	Expired	Jackie Treat	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-06-29	Expired	Jackie Treat	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-06-29	Expired	Jackie Treat	(No lab)	Created based on CT521 certificate ID30419
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-06-29	Expired	Jackie Treat	(No lab)	Created based on CT521 certificate ID30419
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-06-29	Expired	Jackie Treat	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-06-29	Expired	Jackie Treat	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-06-29	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2019-06-29	Expired	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-06-29	Expired	Jackie Treat	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-06-29	Expired	Jackie Treat	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-06-29	Expired	Jackie Treat	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	should have been two year at date of modification
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	should have been two year at date of modification
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	should have been two years at date of modification
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	should have been two year at date of modified 6/29/17
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	should have been two years at date of modification 6/29/17
AASHTO T210 Aggregate Durability Index	2022-10-12	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	should have been two year at date of modification 6/29/17
AASHTO T304 Uncompacted Void - Fine Aggregate	2022-10-12	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	should have been two years at date of modification 6/29/17
AASHTO T312 Gyratory Compactor	2023-05-11	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	should have been two year at last date of modification 6/29/17



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	(No lab)	should have been two years at last date of modification 6/29/17

Unofficial Copy