

Certificates for James Brewster

Basic Information

First Name	James
Last Name	Brewster
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
HMA/AB Laboratory - HQ METS	Guadalupe Magana	5900 Folsom Boulevard, Sacramento, CA 95819	59	Lab 1

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Jackie Treat	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 389 Hamburg Wheel-Track	2024-08-17	Active	Avinash Ralla	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2026-04-25	Active	Rahshaun Spears	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T96 L.A. Rattler	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T283 Moisture Induced Damage (TSR)	2024-08-17	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2027-03-21	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2026-04-25	Active	Rahshaun Spears	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2024-08-17	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T331 Bulk Specific Gravity - vacuum seal method	2026-04-25	Active	Rahshaun Spears	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2020-02-01	Expired	Jackie Treat	(No lab)	(No comments)
ASTM D8225 Cracking Tolerance Index using ITC Test	2024-09-01	Active	Ignocencio Herrera	(No lab)	(No comments)