

Certificates for Trenton Crouse

Basic Information

First Name	Trenton
Last Name	Crouse
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
Teichert Quality Assurance	Chris Fuchs	8609 Jackson Road, Building 101, Sacramento, CA 95826	3	Lab 1
Teichert Materials - Vernalis	Trenton Crouse	36314 South Bird Road, Tracy, CA 95304	10	Lab 2

Test Methods

California Test (CT) Certifications

Total **35** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2022-05-07	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2021-03-06	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-09-06	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-03-06	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-03-14	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2021-03-06	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-09-06	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 204 LL, PL, PI	2021-03-06	Expired	Jackie Treat	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-05-07	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-05-07	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2021-03-06	Expired	Jackie Treat	Lab 1	(No comments)
CT 211 LA Rattler	2022-05-07	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 212 Unit Weight of Aggregates	2022-05-07	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 214 Sodium Sulfate Soundness	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 235 Flat and Elongated Particles	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 301 "R" Value	2021-03-06	Expired	Jackie Treat	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 308 Bulk SpG and Density - HMA	2022-05-07	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 366 Stabilometer	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 371 Moisture Induced Damage (TSR)	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2021-03-06	Expired	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2021-03-06	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2023-07-14	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-07-15	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-07-15	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T96 L.A. Rattler	2023-06-17	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2019-11-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T210 Aggregate Durability Index	2023-07-14	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-07-12	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-06-17	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2023-06-17	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-07-14	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
ASTM D4791 Flat and Elongated Particles	2023-07-14	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)

Unofficial Copy