

## Certificates for Joseph (Joe) Delgado

### Basic Information

<b>First Name</b>	Joseph (Joe)
<b>Last Name</b>	Delgado
<b>Status</b>	Active

### Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Bakersfield Field Lab	Kulwinder Rai	1824 Norris Road, Bakersfield, CA 93308	6	Lab 1
NV5-Holdredge & Kull Materials Laboratory	Dominic J. Potestio	48 Bellarmine Court, Suite 40, Chico, CA 95928	3	Lab 2
Caltrans Susanville Lab	Terry Schmitt	417 Diane Drive, Susanville, CA 96130	2	Lab 3
NV5-Holdrege & Kull	Michelle Holub	792 Searls Ave., Nevada City, CA 95959	3	Lab 4

### Test Methods

## California Test (CT) Certifications

Total 44 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2023-03-30	Active	Jackie Treat	Lab 1, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-03-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 CEM Sampling - CEM	2023-03-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2023-03-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 2, Lab 4	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-03-30	Active	Jackie Treat	Lab 2, Lab 4	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-03-30	Active	Jackie Treat	Lab 2, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2023-03-30	Active	Jackie Treat	Lab 2	(No comments)
CT 212 Unit Weight of Aggregates	2023-03-30	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 214 Sodium Sulfate Soundness	2023-03-30	Active	Jackie Treat	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 229 Durability (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2024-03-04	Active	Husam Makhoul	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-03-30	Active	Jackie Treat	Lab 2, Lab 4	(No comments)
CT 304 Sample Preparation - HMA	2023-03-30	Active	Jackie Treat	Lab 2, Lab 4	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-03-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 309 Max SpG and Density - HMA	2023-03-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 366 Stabilometer	2019-03-14	Expired	Jackie Treat	Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2023-03-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2024-03-04	Active	Husam Makhoul	Lab 1, Lab 2, Lab 4	(No comments)
CT 382 AC Content by Ignition Oven	2023-03-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-01-19	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 4	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-01-19	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 4	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-02-18	Expired	Majid Fahrtosh	Lab 1, Lab 4	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-02-18	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-02-18	Expired	Majid Fahrtosh	Lab 1, Lab 4	(No comments)
CT 533 Ball Penetration - PCC	2022-02-18	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-01-19	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 4	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-01-19	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 4	(No comments)
CT 541 Flow Cone	2022-03-02	Expired	Jackie Treat	Lab 4	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-01-19	Active	Jasdeep Sandhu	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2023-03-02	Active	Jackie Treat	Lab 4	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-01-19	Active	Jasdeep Sandhu	Lab 2, Lab 4	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-01-19	Active	Jasdeep Sandhu	Lab 1, Lab 2, Lab 4	(No comments)

## AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 3, Lab 4	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 3, Lab 4	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-03-30	Active	Jackie Treat	Lab 2, Lab 4	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-03-30	Active	Jackie Treat	Lab 2, Lab 4	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 4	(No comments)



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 4	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2019-03-14	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-03-30	Active	Jackie Treat	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T312 Gyrotory Compactor	2019-03-14	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T324 Hamburg Wheel-Track	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 4	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-03-30	Active	Jackie Treat	Lab 2, Lab 4	(No comments)