

## Certificates for Lewis Jones

### Basic Information

<b>First Name</b>	Lewis
<b>Last Name</b>	Jones
<b>Status</b>	Active

### Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Teichert Quality Assurance	Chris Fuchs	8609 Jackson Rd. Building 101, Sacramento, CA 95826	3	Lab 1
Teichert Martis Valley	Chris Fuchs	13879 Joerger Rd., Truckee, CA 96161	3	Lab 2
Teichert - Spanish Springs	Pete Conlin	12435 Pyramid Lake Highway, Sparks, NV 89436	3	Lab 3

### Test Methods

## California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2021-04-18	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-04-18	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-04-18	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2021-04-18	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2021-04-18	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-04-18	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2019-03-14	Expired	Jackie Treat	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 366 Stabilometer	2019-03-14	Expired	Jackie Treat	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 375 AC Density by Nuclear Gage	2019-03-14	Expired	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

## AASHTO/ASTM Proficiencies

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-03-14	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)