

Certificates for Devin Lagorio

Basic Information

First Name	Devin
Last Name	Lagorio
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Jackie Treat	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 227 Cleanness Value (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2019-06-16	Expired	Jackie Treat	(No lab)	(No comments)