

Certificates for Ted Leal

Basic Information

First Name	Ted
Last Name	Leal
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Teichert Quality Assurance	Chris Fuchs	8609 Jackson Road, Building 101, Sacramento, CA 95826	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	Lab 1	(No comments)