

Certificates for Taylor Theis

Basic Information	
First Name	Taylor
Last Name	Theis
Status	Active

Associated Labs				
Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods					
<h3>California Test (CT) Certifications</h3> <p>Total 28 items.</p>					
Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jackie Treat	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 204 LL, PL, PI	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 211 LA Rattler	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 214 Sodium Sulfate Soundness	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 301 "R" Value	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2019-03-14	Expired	Jackie Treat	(No lab)	(No comments)