Certificates for Vincent Gamalski

Basic Information

First Name	Vincent
Last Name	Gamalski
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **30** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2019-10-13	Expired	Richard Hibbard	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jackie Treat	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-10-13	Expired	Richard Hibbard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 211 LA Rattler	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 214 Sodium Sulfate Soundness	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-12-23	Expired	Emily Merritt	(No lab)	Created based on CT521 certificate ID80068
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-12-23	Expired	Emily Merritt	(No lab)	Created based on CT521 certificate ID80068
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-01-04	Expired	Ignocencio Herrera	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-12-23	Expired	Maryam Shahbazi	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **15** items.

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T283 Moisture Induced Damage (TSR)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2017-10-13	Expired	Jackie Treat	(No lab)	(No comments)

Unofficial Copy