

Certificates for Mario Figueroa

Basic Information

First Name	Mario
Last Name	Figueroa
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Granite Construction/Esparto	Dylan Stutters	15560 County Road 87, Esparto, CA 95627	3	Lab 1
Granite Construction - Bradshaw	Gerardo Valdovinos	4001 Bradshaw Road, Sacramento, CA 95851	3	Lab 2

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2018-06-18	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-05-11	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2019-05-11	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-05-11	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-06-10	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-05-11	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-05-11	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-05-11	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-05-11	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2019-05-11	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 304 Sample Preparation - HMA	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
CT 366 Stabilometer	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
CT 371 Moisture Induced Damage (TSR)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T283 Moisture Induced Damage (TSR)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2019-05-11	Expired	Jackie Treat	Lab 2	(No comments)