

Certificates for Ben Lokteff

Basic Information

First Name	Ben
Last Name	Lokteff
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Blackburn Consulting	Benjamin Lokteff	2491 Boatman Ave., West Sacramento, CA 95691	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 204 LL, PL, PI	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 301 "R" Value	2024-06-09	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
CT 366 Stabilometer	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2024-06-23	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-06-23	Active	Ignocencio Herrera	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2021-12-22	Expired	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-02-25	Active	Jackie Treat	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-03-21	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-03-21	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-03-21	Expired	Jackie Treat	Lab 1	(No comments)

Unofficial Copy