

Certificates for Dylan Farver

Basic Information

First Name	Dylan
Last Name	Farver
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Blackburn Consulting	Benjamin Lokteff	2491 Boatman Ave., West Sacramento, CA 95691	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jackie Treat	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-03-21	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-03-21	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-03-22	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2019-03-21	Expired	Jackie Treat	Lab 1	(No comments)