

## Certificates for Sergio Tostado

### Basic Information

<b>First Name</b>	Sergio
<b>Last Name</b>	Tostado
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Blackburn Consulting	Benjamin Lokteff	2491 Boatman Avenue, West Sacramento, CA 95691	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 30 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-04-22	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-03-07	Active	Rahshaun Spears	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-02-27	Expired	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2021-02-27	Expired	Jackie Treat	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-03-07	Active	Rahshaun Spears	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 382 AC Content by Ignition Oven	2021-02-27	Expired	Jackie Treat	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-03-10	Active	David Medina	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-03-10	Active	David Medina	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-03-10	Active	David Medina	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2025-03-07	Active	Rahshaun Spears	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-03-10	Active	David Medina	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-03-10	Active	David Medina	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-03-10	Active	David Medina	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-03-10	Active	David Medina	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-03-10	Active	David Medina	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)