

## Certificates for Chad Borean

### Basic Information

<b>First Name</b>	Chad
<b>Last Name</b>	Borean
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5, Inc.	Dominic J. Potestio	48 Bellarmine Court, Suite 40, Chico, CA 95928	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 37 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-12-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 204 LL, PL, PI	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-04-24	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2019-04-24	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2019-05-10	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2019-04-24	Expired	Natalie Rivinius	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 235 Flat and Elongated Particles	2019-05-10	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-02-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-02-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-12-01	Expired	Jackie Treat	Lab 1	Created based on CT521 certificate ID31612

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-12-01	Expired	Jackie Treat	Lab 1	Created based on CT521 certificate ID31612
CT 533 Ball Penetration - PCC	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-02-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-02-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-02-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-02-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-02-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-05-10	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-05-10	Expired	Natalie Rivinius	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-12-01	Expired	Jackie Treat	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2019-05-10	Expired	Natalie Rivinius	Lab 1	(No comments)

Unofficial Copy