

## Certificates for Andrei Polischuk

### Basic Information

<b>First Name</b>	Andrei
<b>Last Name</b>	Polischuk
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Twining Laboratories	Christian Masse	120 Main Avenue, Sacramento, CA 95838	3	Lab 1
Twining Mobile Laboratory 1GS6005	Josh Noegel	1572 Santa Ana Avenue, Sacramento, CA 95838	3	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 29 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2019-11-17	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-11-17	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-04-27	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-11-17	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-11-17	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2022-04-27	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-04-27	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-11-17	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-11-17	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-11-17	Expired	Jackie Treat	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-11-17	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-11-17	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-11-17	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2018-11-17	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-04-27	Expired	Jackie Treat	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-04-27	Expired	Jackie Treat	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-11-19	Active	Gabriela Lopez	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-11-19	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-04-27	Expired	Jackie Treat	Lab 1	Created based on CT521 certificate ID32811
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-04-27	Expired	Jackie Treat	Lab 1	Created based on CT521 certificate ID32811
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-11-19	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-04-27	Expired	Jackie Treat	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-04-27	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2020-05-24	Expired	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-11-19	Active	Gabriela Lopez	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-11-19	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-11-19	Active	Gabriela Lopez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-11-19	Active	Gabriela Lopez	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-11-19	Active	Gabriela Lopez	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					