

Certificates for Josh Noegel

Basic Information

First Name	Josh
Last Name	Noegel
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2019-04-14	Expired	Jackie Treat	(No lab)	Created based on CT521 certificate ID32785
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2019-04-14	Expired	Jackie Treat	(No lab)	Created based on CT521 certificate ID32785
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-04-14	Expired	Jackie Treat	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					