

Certificates for Troy Maloney

Basic Information

First Name	Troy
Last Name	Maloney
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 36 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jackie Treat	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jackie Treat	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2018-05-01	Expired	Jackie Treat	(No lab)	(No comments)

Unofficial Copy