

Certificates for Gary Gault

Basic Information

First Name	Gary
Last Name	Gault
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans Chico Field Lab	Brad Mckeehan	2707 Notre Dame Blvd., Chico, CA 95928	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 20 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jackie Treat	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-03-23	Expired	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2017-03-23	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2017-03-23	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2017-03-23	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2017-03-23	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2017-03-23	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-03-23	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2017-03-23	Expired	Jackie Treat	Lab 1	(No comments)