

Certificates for Steve Croke

Basic Information

First Name	Steve
Last Name	Croke
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan Laboratory	Cameron Richardson	9800 Del Road, Roseville, CA 95747	3	Lab 1
Vulcan Materials Company - Cache Creek Asphalt	Cameron Richardson	30288 Highway16, Madison, CA 95653	3	Lab 2
Vulcan Materials Company - Sacramento Regional Lab	Cameron Richardson	631 Commerce Drive, Suite 100, Roseville, CA 95678	3	Lab 3

Test Methods

California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-02-28	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-02-07	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-02-28	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-02-07	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-02-07	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-02-07	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 213 Organic Impurities of PCC sand	2020-02-07	Expired	Jackie Treat	Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 304 Sample Preparation - HMA	2020-02-07	Expired	Jackie Treat	Lab 2, Lab 3	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 367 OBC	2020-02-07	Expired	Jackie Treat	Lab 3	(No comments)
CT 370 Moisture Content by Microwave	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2020-02-07	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2020-02-07	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-02-07	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-02-07	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2020-02-07	Expired	Jackie Treat	Lab 1	(No comments)