

Certificates for Andrew Hall

Basic Information

First Name	Andrew
Last Name	Hall
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
M.T.Hall and Assc.	Tom Hall	609 Entler Ave. Suite 4, Chico, CA 95973	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2020-03-15	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-03-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-04-05	Active	Husam Makhoul	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-03-15	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-03-15	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2024-04-05	Active	Husam Makhoul	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-03-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-04-05	Active	Husam Makhoul	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jackie Treat	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-06-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-04-05	Active	Husam Makhoul	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-04-05	Active	Husam Makhoul	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					