

Certificates for Michael Wright

Basic Information

First Name	Michael
Last Name	Wright
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
M.T.Hall and Associates	Tom Hall	609 Entler Avenue, Suite 4, Chico, CA 95973	3	Lab 1

Test Methods

California Test (CT) Certifications

Total **27** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2019-05-25	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2020-03-15	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-03-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-03-15	Active	Rabiul Hyder	(No lab)	3 years certs-IA 136
CT 125 BIT Sampling - BITUMINOUS	2020-03-15	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-03-15	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-03-15	Active	Rabiul Hyder	Lab 1	3 YEARS CERTS-IA 136
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-03-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-03-15	Active	Rabiul Hyder	Lab 1	3 YEARS CERS-IA 136
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-05-25	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-05-25	Expired	Jackie Treat	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-04-16	Active	Darrell Valasek	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2026-04-16	Active	Darrell Valasek	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-03-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-03-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-05-25	Expired	Jackie Treat	Lab 1	Created based on CT521 certificate ID31057

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-05-25	Expired	Jackie Treat	Lab 1	Created based on CT521 certificate ID31057
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2025-03-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2020-05-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-03-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-03-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-03-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-03-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-03-14	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy