

Certificates for Tyler Wahlen

Basic Information

First Name	Tyler
Last Name	Wahlen
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder Inc.	Breanna Debler	2001 Arch Airport Road, Stockton, CA 95203	10	Lab 1

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Jessaneil Perez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-11-16	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jessaneil Perez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 331 Residue by Evaporation	2018-11-17	Expired	Jessaneil Perez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-11-16	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-11-17	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-11-17	Expired	Jessaneil Perez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					