

Certificates for Arthur Trillo

Basic Information

First Name	Arthur
Last Name	Trillo
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
George Reed, Incorporated	Arthur Trillo	17857 High School Road, Jamestown, CA 95327	10	Lab 1
George Reed, Incorporated - Rio Linda	Phillip Reader	900 West Elkhorn Boulevard, Rio Linda, CA 95673	3	Lab 2

Test Methods

California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2020-01-30	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-01-30	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-01-30	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-30	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 211 LA Rattler	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-30	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-30	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-01-30	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2020-01-30	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-01-31	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-01-31	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-01-31	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 366 Stabilometer	2020-01-31	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 367 OBC	2020-01-31	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2020-01-31	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2020-01-31	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2020-01-31	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2020-01-31	Expired	Jessaneil Perez	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2020-01-31	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-01-31	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2027-03-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2020-01-31	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2020-01-31	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-02-23	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2020-01-30	Expired	Jessaneil Perez	Lab 1	(No comments)
ASTM D7741 AR Field Viscosity	2022-06-03	Expired	Ed Gamboa	Lab 1	(No comments)