

Certificates for Brandon Hendricks

Basic Information

First Name	Brandon
Last Name	Hendricks
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5, Inc.	Dominic J. Potestio	48 Bellarmine Court, Suite 40, Chico, CA 95928	3	Lab 1
CT D01 - Construction Consultants		, , CA	1	Lab 2

Test Methods

California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2022-11-03	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-11-11	Expired	Phillip Asher	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 211 LA Rattler	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2026-03-03	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2025-11-16	Active	Darrell Valasek	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-11-16	Active	Darrell Valasek	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-09-16	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-09-16	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-11-08	Expired	Ed Gamboa	Lab 1	Created based on CT521 certificate ID78728
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-11-08	Expired	Ed Gamboa	Lab 1	Created based on CT521 certificate ID78728
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-09-16	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-11-08	Expired	Ed Gamboa	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-11-05	Expired	Ed Gamboa	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-09-16	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-09-16	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-09-16	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-09-16	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-09-16	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **22** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2022-04-30	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-10-02	Expired	Soroosh Amelian	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2022-04-30	Expired	Jackie Treat	Lab 1	(No comments)
ASTM D7741 AR Field Viscosity	2022-11-05	Expired	Ed Gamboa	(No lab)	(No comments)