

Certificates for Jeremy Sanidad

Basic Information

First Name	Jeremy
Last Name	Sanidad
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Knife River	Jeremy Sanidad	2648 Blewett Road, Tracy, CA 95304	10	Lab 1

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-11-17	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-11-17	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-01-06	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-01-06	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-01-05	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-01-05	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2019-01-05	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2019-01-05	Expired	Jessaneil Perez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2019-01-06	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-01-06	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-01-06	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2019-01-06	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2019-01-05	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2019-01-05	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2017-08-16	Expired	Jessaneil Perez	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2017-08-16	Expired	Jessaneil Perez	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2017-08-16	Expired	Jessaneil Perez	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Unofficial Copy