

Certificates for Gary Barmby

Basic Information

First Name	Gary
Last Name	Barmby
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Wallace-Kuhl & Associates - Stockton	Kevin Watson	3422 West Hammer Lane, Stockton, CA 95219	10	Lab 1

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-02-13	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-02-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 301 "R" Value	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 366 Stabilometer	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-02-13	Expired	Jessaneil Perez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					