

Certificates for Raudel Contreras

Basic Information

First Name	Raudel
Last Name	Contreras
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D06 - Millbrook Field Laboratory	Allen Oliver	3240 North Millbrook Avenue, Fresno, CA 93726	6	Lab 1
CT D10 - Cherokee Field Laboratory	Mandeep Dhese	3256 Tomahawk Drive, Stockton, CA 95205	10	Lab 2

Test Methods

California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-03-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2020-03-03	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2020-03-03	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	Did not participate in 2022 CSP CT 202. Contact CSP@dot.ca.gov for unsuspension directions.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-02-12	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-02-12	Expired	Ignocencio Herrera	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	CSP suspension on 06/13/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions.
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2027-01-05	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-04-12	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2022-02-12	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-02-12	Expired	Manpreet Singh	Lab 1	Created based on CT521 certificate ID43499
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-02-12	Expired	Manpreet Singh	Lab 1	Created based on CT521 certificate ID43499

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-02-12	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-06-29	Active	Ed Gamboa	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2024-06-29	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 541 Flow Cone	2022-02-12	Expired	Ignocencio Herrera	Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-08	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2022-02-12	Expired	Ignocencio Herrera	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2024-06-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-08	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-07-01	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-07-01	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-07-01	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-07-01	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-07-01	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-03-01	Active	Gabriela Lopez	Lab 1	(No comments)

Unofficial Copy