

Certificates for Val Baroni

Basic Information

First Name	Val
Last Name	Baroni
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Kleinfelder Inc.	Breanna Debler	2001 Arch Airport Road, Stockton, CA 95203	10	Lab 1
Kleinfelder Inc.	Kathlien Red	121 Heron Way, Merced, CA 35340	10	Lab 2

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2020-01-24	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2022-01-16	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-01-16	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2022-01-16	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2022-01-16	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2022-01-16	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-01-16	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-01-24	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-01-24	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-02-08	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-01-16	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2022-01-16	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-08	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-08	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2020-01-25	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-08	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-08	Active	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-08	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-08	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-08	Active	Jackie Treat	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					