

Certificates for Jason Dehoff

Basic Information

First Name	Jason
Last Name	Dehoff
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D10 - Cherokee Field Laboratory	Mandeep Dhesi	3256 Tomahawk Drive, Stockton, CA 95205	10	Lab 1

Test Methods

California Test (CT) Certifications

Total 36 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-10-28	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2021-10-28	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-10-28	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-11-04	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2023-11-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2023-11-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-10-28	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2023-11-04	Expired	Ed Gamboa	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-01-25	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-25	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2021-10-28	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-10-28	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-01-25	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-25	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-25	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-01-25	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2020-01-25	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-11-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2021-10-28	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2021-10-28	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2021-10-28	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2021-10-29	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2021-10-29	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-11-04	Expired	Jessaneil Perez	(No lab)	Created based on CT521 certificate ID33654
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-11-04	Expired	Jessaneil Perez	(No lab)	Created based on CT521 certificate ID33654
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-10-29	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-11-04	Expired	Ed Gamboa	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2023-11-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2021-10-29	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 541 Flow Cone	2021-10-29	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **10** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-10-28	Expired	Jessaneil Perez	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-10-28	Expired	Jessaneil Perez	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-01-26	Expired	Jessaneil Perez	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2020-01-26	Expired	Jessaneil Perez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-01-26	Expired	Jessaneil Perez	(No lab)	(No comments)
ASTM D7741 AR Field Viscosity	2023-11-04	Expired	Ed Gamboa	Lab 1	(No comments)

Unofficial Copy