

## Certificates for Stanley Oshita

### Basic Information

<b>First Name</b>	Stanley
<b>Last Name</b>	Oshita
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D10 - Construction		, , CA	10	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2024-07-21	Active	Ed Gamboa	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-07	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-07-21	Active	Ed Gamboa	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-07-21	Active	Ed Gamboa	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2024-07-21	Active	Ed Gamboa	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2024-07-21	Active	Ed Gamboa	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-07-07	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2024-07-21	Active	Ed Gamboa	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					