

Certificates for Stanley Oshita

Basic Information

First Name	Stanley
Last Name	Oshita
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D10 - Construction		, , CA	10	Lab 1

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2024-07-21	Expired	Ed Gamboa	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-07	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-07-21	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-07-21	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2024-07-21	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2024-07-21	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-07-07	Expired	Ed Gamboa	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2024-07-21	Expired	Ed Gamboa	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					