

Certificates for Marcos Campos

Basic Information

First Name	Marcos
Last Name	Campos
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Smith Emery Laboratories - Anaheim	Carlos Lievanos	1195 North Tustin Avenue, Anaheim, CA 92807	12	Lab 1

Test Methods

California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2022-05-21	Expired	Ashley Shaw	Lab 1	Date adjusted to make three year cert. IA 68
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2022-05-21	Expired	Ashley Shaw	Lab 1	Date adjusted to make three year cert. IA 68
CT 125 CEM Sampling - CEM	2022-05-21	Expired	Ashley Shaw	Lab 1	Date adjusted to make three year cert. IA 68
CT 125 GEN Sampling - GENERAL	2022-05-21	Expired	Ashley Shaw	Lab 1	Date adjusted to make three year cert. IA 68
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 211 LA Rattler	2024-11-13	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2024-08-08	Active	Ashley Shaw	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-09-03	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-05-10	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-01-20	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-01-20	Expired	Ashley Shaw	Lab 1	(No comments)
CT 366 Stabilometer	2023-02-09	Expired	Majid Fehrtosh	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-05-10	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-02-09	Expired	Majid Fehrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-02-25	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-02-25	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-02-25	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-02-25	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-02-25	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-02-25	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-02-25	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-02-25	Active	Dalton LaBoskey	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-12-10	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T59 7 Emulsified Asphalts	2024-12-12	Active	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1	(No comments)

Unofficial Copy