

## Certificates for Daniel Gingras

### Basic Information

<b>First Name</b>	Daniel
<b>Last Name</b>	Gingras
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D05 - Materials Laboratory	Daniel Gingras	50 Higuera Street, San Luis Obispo, CA 93401	5	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jeff Rush	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-06-18	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-06-18	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 204 LL, PL, PI	2021-03-28	Expired	Jeff Rush	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-06-18	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-03-28	Expired	Jeff Rush	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-03-28	Expired	Jeff Rush	Lab 1	(No comments)
CT 211 LA Rattler	2021-03-28	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2021-03-28	Expired	Jeff Rush	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-18	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-06-18	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-06-18	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-06-18	Expired	Benjamin Martinez	Lab 1	Opt-Out of 2023 CSP CT 227 -IA#153
CT 229 Durability (JTCP - S&A)	2024-06-18	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2021-03-28	Expired	Jeff Rush	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2021-03-28	Expired	Jeff Rush	(No lab)	(No comments)
CT 301 "R" Value	2023-09-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 643 Resistivity and pH Measurements	2021-03-28	Expired	Jeff Rush	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-04-06	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-04-06	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-03-22	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-09-22	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2021-03-28	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2020-03-22	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-09-30	Active	Brian Ellis	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2020-03-22	Expired	Jeff Rush	Lab 1	(No comments)