

Certificates for Raymond Barajas

Basic Information

First Name	Raymond
Last Name	Barajas
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
District 5 Santa Barbara Construction	David Gleffe	3999 State St, Santa Barbara, CA 93105	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2015-11-15	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2015-11-15	Expired	Jeff Rush	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2015-11-15	Expired	Jeff Rush	Lab 1	(No comments)
CT 547 Bridge Profilograph	2015-11-15	Expired	Jeff Rush	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					