

## Certificates for Robert Bonilla

### Basic Information

<b>First Name</b>	Robert
<b>Last Name</b>	Bonilla
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D05 - Santa Barbara Construction	David Gleffe	3999 State Street, Santa Barbara, CA 93105	5	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Jeff Rush	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-09-30	Expired	Jeff Rush	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-09-30	Expired	Jeff Rush	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Jeff Rush	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-05-15	Expired	Jeff Rush	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-05-15	Expired	Jeff Rush	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-05-15	Expired	Jeff Rush	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2017-05-15	Expired	Jeff Rush	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-03-18	Expired	Jeff Rush	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2017-03-18	Expired	Jeff Rush	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy