

Certificates for Joseph Person

Basic Information

First Name	Joseph
Last Name	Person
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D05 - Santa Barbara Construction	David Gleffe	3999 State Street, Santa Barbara, CA 93105	5	Lab 1
CT D05 - Carpinteria Field Laboratory	David Gleffee	3690 Santa Claus Lane, Carpinteria, CA 93014	5	Lab 2

Test Methods

California Test (CT) Certifications

Total **26** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-03-14	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-03-14	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-10-27	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2018-10-27	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-09-14	Expired	Richard Hibbard	Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-09-14	Expired	Richard Hibbard	Lab 2	(No comments)
CT 521 Compressive Strength - PCC	2020-12-16	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-10-02	Expired	Jeff Rush	Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-10-02	Expired	Jeff Rush	Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-10-02	Expired	Jeff Rush	Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2021-10-02	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-09-14	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-09-14	Expired	Richard Hibbard	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-09-14	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-09-14	Expired	Richard Hibbard	Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-09-14	Expired	Richard Hibbard	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2018-10-27	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-10-27	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2018-10-27	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-10-27	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-10-27	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2018-10-27	Expired	Jeff Rush	Lab 1, Lab 2	(No comments)