

## Certificates for Ethan Hyde

### Basic Information

|                   |        |
|-------------------|--------|
| <b>First Name</b> | Ethan  |
| <b>Last Name</b>  | Hyde   |
| <b>Status</b>     | Active |

### Associated Labs

Total 1 item.

| Lab Name                        | Manager Name | Full Address                                   | District | Page Alias |
|---------------------------------|--------------|--|----------|------------|
| CT D05 - Prunedale Construction | David Gleffe | 8115 Prunedale North Road, Prunedale, CA 93907 | 5        | Lab 1      |

### Test Methods

#### California Test (CT) Certifications

Total 20 items.

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2023-06-30      | Expired | Jeff Rush      | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2017-12-02      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2018-01-23      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2023-06-30      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2018-01-23      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2018-01-23      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2018-01-23      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)     | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)                             | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage                       | 2018-01-23      | Expired | Jeff Rush      | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments                                   |
|---|-----------------|---------|----------------|---------------------|--|
| CT 308 Bulk SpG and Density - HMA   | 2018-05-12      | Expired | Jeff Rush      | Lab 1               | (No comments)                              |
| CT 309 Max SpG and Density - HMA  | 2018-05-12      | Expired | Jeff Rush      | Lab 1               | (No comments)                              |
| CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)                        | 2018-03-08      | Expired | Jeff Rush      | (No lab)            | Created based on CT521 certificate ID39184 |
| CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)                         | 2018-03-08      | Expired | Jeff Rush      | (No lab)            | Created based on CT521 certificate ID39184 |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments)                              |
| CT 523.2 Section B.3 Flexural Strength (Lab Test)                             | 2018-03-08      | Expired | Jeff Rush      | (No lab)            | (No comments)                              |
| CT 524 Flexural Strength of Rapid Strength - PCC                              | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments)                              |
| CT 533 Ball Penetration - PCC   | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments)                              |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                                   | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments)                              |

| Test Method                                | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|----------------|---------------------|---------------|
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments) |

## AASHTO/ASTM Proficiencies

Total 7 items.

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)  | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I)                            | 2018-03-08      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)                 | 2018-05-12      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)                            | 2018-05-12      | Expired | Jeff Rush      | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)    | 2018-06-01      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2018-05-12      | Expired | Jeff Rush      | Lab 1               | (No comments) |

Unofficial Copy