

## Certificates for Sean Anderson

### Basic Information

<b>First Name</b>	Sean
<b>Last Name</b>	Anderson
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total **30** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Roy(Chip) Denner	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2023-10-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2018-02-09	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-02-09	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-04-16	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-04-16	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-04-16	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-04-16	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-04-16	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-04-16	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-04-16	Active	Sarbjit Grewal	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2019-01-31	Expired	Roy(Chip) Denner	(No lab)	(No comments)