

Certificates for Dale Bartlett

Basic Information

First Name	Dale
Last Name	Bartlett
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Atlas	Darren Hicks	9085 Aero Drive, Suite B, San Diego, CA 92123	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 36 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-06-29	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-06-29	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-01-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 204 LL, PL, PI	2021-10-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-07-17	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-07-17	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 211 LA Rattler	2022-07-17	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 214 Sodium Sulfate Soundness	2021-10-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-12-13	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-01-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-12-13	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-01-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 301 "R" Value	2022-07-17	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-02-07	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-02-07	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-02-07	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 366 Stabilometer	2021-10-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2020-02-07	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-02-07	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-02-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-02-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-07-17	Expired	Roy(Chip) Denner	Lab 1	Created based on CT521 certificate ID35169
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-07-17	Expired	Roy(Chip) Denner	Lab 1	Created based on CT521 certificate ID35169
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-12-13	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-12-13	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 524 Flexural Strength of Rapid Strength - PCC	2019-12-13	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2019-12-13	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-02-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-02-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-02-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-02-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-02-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2017-01-03	Expired	Roy(Chip) Denner	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-01-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-01-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2024-09-28	Active	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-01-08	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2020-02-07	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2020-02-07	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-09-28	Active	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-02-07	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2016-08-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2016-08-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2017-12-16	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Unofficial Copy