

Certificates for Barron Colchagoff

Basic Information

First Name	Barron
Last Name	Colchagoff
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2018-08-26	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2017-08-26	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-08-26	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-08-26	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2017-09-02	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-08-26	Expired	Roy(Chip) Denner	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-09-02	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-08-26	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2018-02-28	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-02-28	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-07-14	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-07-14	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID34928
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-07-14	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID34928

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy