

## Certificates for Barron Colchagoff

### Basic Information

<b>First Name</b>	Barron
<b>Last Name</b>	Colchagoff
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2018-08-26	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2017-08-26	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-08-26	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-08-26	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2017-09-02	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-08-26	Expired	Roy(Chip) Denner	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-09-02	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-08-26	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2018-02-28	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-02-28	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-07-14	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2017-04-21	Expired	Roy(Chip) Denner	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-07-14	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID34928
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-07-14	Expired	Roy(Chip) Denner	(No lab)	Created based on CT521 certificate ID34928

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy