

Certificates for Alfredo Gonzalez

Basic Information

First Name	Alfredo
Last Name	Gonzalez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
MTGL	Isaac Chun	7742 Arjons Dr, San Diego, CA 92126	11	Lab 1

Test Methods

California Test (CT) Certifications

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2017-04-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy