

## Certificates for John Hutalla

### Basic Information

<b>First Name</b>	John
<b>Last Name</b>	Hutalla
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
MTGL	John Hutalla	6295 Ferris Square, Suite C, San Diego, CA 92121	11	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 204 LL, PL, PI	2024-02-16	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-02-16	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-02-16	Active	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2023-05-25	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-02-16	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-05-25	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2023-03-10	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 301 "R" Value	2023-05-25	Active	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2023-03-10	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2022-03-09	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2022-03-09	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 366 Stabilometer	2023-03-10	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 367 OBC	2015-02-01	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2023-03-10	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2023-05-25	Active	Afsaneh Ostovar	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-05-25	Active	Afsaneh Ostovar	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 20 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-02-16	Active	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-02-16	Active	Roy(Chip) Denner	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-05-25	Active	Afsaneh Ostovar	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-05-25	Active	Afsaneh Ostovar	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2022-11-24	Active	Afsaneh Ostovar	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2022-11-24	Active	Afsaneh Ostovar	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-12-13	Active	Sarbjit Grewal	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-05-25	Active	Afsaneh Ostovar	Lab 1	(No comments)

Unofficial Copy