# Certificates for Edwin Panopio

## Basic Information

| | |
|---|---|
| **First Name** | Edwin |
| **Last Name** | Panopio |
| **Status** | Active |

## Associated Labs

Total **1** item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|---|---|---|---|---|
| Leighton Consulting, Incorporated | Matthew Vinet | 3934 Murphy Canyon Road, Suite B-295, San Diego, CA 92123 | 11 | Lab 1 |

## Test Methods

### California Test (CT) Certifications

Total **21** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|---|---|---|---|---|

Unofficial Copy

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|---|---|---|---|---|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2019-08-11 | Expired | Robby Rodriguez | Lab 1 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2022-06-11 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES | 2024-06-27 | Active | Roy(Chip) Denner | (No lab) | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2024-06-27 | Active | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2022-06-11 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 125 HMA Sampling - HMA | 2024-06-27 | Active | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2019-08-11 | Expired | Robby Rodriguez | Lab 1 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2019-08-01 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2019-08-01 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |

Unofficial Copy

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|---|---|---|---|---|
| CT 227 Cleanness Value (JTCP - S&A) | 2019-08-01 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2022-06-11 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2024-06-27 | Active | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2024-06-15 | Active | Jackie Treat | Lab 1 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2024-06-15 | Active | Jackie Treat | Lab 1 | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2024-06-15 | Active | Dalton LaBoskey | Lab 1 | (No comments) |
| CT 533 Ball Penetration - PCC | 2024-06-27 | Active | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2024-06-15 | Active | Jackie Treat | Lab 1 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2024-06-15 | Active | Jackie Treat | Lab 1 | (No comments) |

Unofficial Copy

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|---|---|---|---|---|
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2024-06-15 | Active | Jackie Treat | Lab 1 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2024-06-15 | Active | Jackie Treat | Lab 1 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2024-06-15 | Active | Jackie Treat | Lab 1 | (No comments) |

## AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|---|---|---|---|---|
| No results found. | | | | | |

Unofficial Copy